

```

JHELIGEX.TXT
//JHELIGEX JOB (HMHCP7300P,HD09,,22,,
//          'MDST-SHXELIG',
//          MSGCLASS=X,
//          TIME=1440
///*
//*****
//JOBLIB    DD DSN=%DB2REG..SDSNLOAD,
//          DISP=SHR
//*****
//***      THIS IS THE BEGINNING OF THE PROCESS FOR PMW DATABASE      ***
//***      TWO PROCS WILL BE EXECUTED IN THIS PHASE                   ***
//*****
///*
///* DOC:      JOB TO VALIDATE INSTALLATION OF THE SAS ACCESS INTERFACE
///*           TO DB2 PRODUCT
///* REFER:     HWKINGW.SAS609.CNTL(DQVALID)
///* DATE:      13.54 04/01/92
///*
//*****
//DQVALID  PROC DBRMLIB='DB2.V410.%DB2REG..RUNLIB.LOAD', <=VERIFY
//          CONFIG='NULLFILE',
//          DB2REG='%DB2REG',
//          LIBPFX='HM.PMED',
//          PH='%PH',
//          OPTIONS=
///*
//*****
///* EXECUTE SAS TO VALIDATE THE INSTALLATION
//*****
//SAS       EXEC PGM=SASHOST,
//          PARM='&OPTIONS',
//          REGION=0M
//STEPLIB   DD DSN=HW.SAS609.LIBRARY,
//          DISP=SHR
//          DD DSN=&DB2REG..SDSNLOAD,
//          DISP=SHR
//          DD DSN=&DBRMLIB,
//          DISP=SHR
//          DD DSN=&LIBPFX..&VERSION..DBRM,
//          DISP=SHR
//CONFIG    DD DSN=&LIBPFX..&VERSION..CNTL(BATCHXA),
//          DISP=SHR
//          DD DSN=&CONFIG,
//          DISP=SHR
//SASHELP   DD DSN=HW.SAS609.SASHELP,
//          DISP=SHR
//SASAUTOS  DD DSN=HW.SAS609.AUTOLIB,
//          DISP=SHR
//SASMSG    DD DSN=HW.SAS609.SASMSG,
//          DISP=SHR
///*ORK     DD DSN=HM.PMED.SAS.WORKSPACE,
//          DISP=OLD,
//          VOL=SER=(M00008,M00003,M00006)
//WORK      DD DSN=HM.PMED.SORTWK1,
//          DISP=OLD
//          DD DSN=HM.PMED.SORTWK2,
//          DISP=OLD
///*ORK     DD DSN=HM.PMED.SORTWK3,
//          DISP=OLD
//          DD DSN=HM.PMED.SORTWK4,
//          DISP=OLD
///*ORK     DD DSN=HM.PMED.SORTWK5,
//          DISP=OLD

```

JHELIGEX.TXT

```

///*          DD  DSN=HM.PMED.SORTWK6,
///*
///*          DD  DSN=HM.PMED.SORTWK7,
///*
///*          DD  DSN=HM.PMED.SORTWK8,
///*
///*          DD  DSN=HM.PMED.SORTWK9,
///*
///*          DD  DSN=HM.PMED.SORTWK10,
///*
///*          DD  DISP=OLD
///*SORTWK01 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*SORTWK02 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*SORTWK03 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*SORTWK04 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*SORTWK05 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*SORTWK06 DD  UNIT=SYSDA,
///*          SPACE=(CYL,(250,50))
///*/*ORK      DD  DCB=(RECFM=FS,LRECL=6144,BLKSIZE=0),
///*
///*          UNIT=(SYSDA,3),
///*
///*          SPACE=(6144,(&WORK))
///*SASLOG    DD  SYSOUT=*
///*SASLIST   DD  SYSOUT=*
///*SASPARM   DD  DCB=(RECFM=FB,LRECL=80,BLKSIZE=400,BUFNO=1),
///*
///*          UNIT=SYSDA,
///*
///*          SPACE=(400,(100,300))
///*INSTALL   DD  DSN=HW.SAS609.TESTS,
///*
///*          DISP=SHR
///*SYSIN     DD  DSN=DB2.SRCLIB(TESTHMTD),
///*
///*          DISP=SHR
//*****END OF INSTREAM PROC FOR VALIDATING INSTALLATION*****
//*****PEND*****
///*
//*****PELIGEX  PROC PH='%PH',
///*
///*          DISK='SYSDA',
///*
///*          MODEL='HMSADM.MODEL',
///*
///*          DVCENR='UNIT=TAPE,LABEL=(,SL,,) ,RETPD=90',
///*
///*          DB2REG='%DB2REG',
///*
///*          SYSTPFX='HM.PMED',
///*
///*          RQ='%RQ',
///*
///*          LIBPFX='HM.PMED',
///*
///*          SYSOUT='*'
///*
//*****DELETE OUTPUT FILES*****
//*****PS001    EXEC PGM=IEFBR14
///*SYSPRINT DD  SYSOUT=&SYSOUT
///*FIL1     DD  DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.AUDIT,
///*
///*          DISP=(MOD,DELETE,DELETE)
///*FIL2     DD  DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.CUSTOM1.DAT,
///*
///*          DISP=(MOD,DELETE,DELETE)
///*FIL3     DD  DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.CUSTOM2.DAT,
///*
///*          DISP=(MOD,DELETE,DELETE)
///*FIL4     DD  DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.EMPLOYER.DAT,
///*
///*          DISP=(MOD,DELETE,DELETE)

```

```

JHELIGEX.TXT
//FIL5      DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.PATIENT.DAT,
//          DISP=(MOD,DELETE,DELETE)
//FIL6      DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.PLAN.DAT,
//          DISP=(MOD,DELETE,DELETE)
///*
//*-----
//*  CREATE ELIGIBILITY VIEW FROM CONV_POP TABLE
//*-----
//CRTEVIEW EXEC PGM=IKJEFT01,
//           REGION=0M,
//           COND=(0,LT)
//STEPLIB   DD DSN=&DB2REG..SDSNLOAD,
//           DISP=SHR
//SYSOUT    DD SYSOUT=&SYSOUT
//SYSTSPRT  DD SYSOUT=&SYSOUT
//SYSPRINT  DD SYSOUT=&SYSOUT
//SYSTSIN   DD DSN=&LIBPFX..&VERSION..CNTL(&DB2REG),
//           DISP=SHR
//           DD DSN=&LIBPFX..&VERSION..CNTL(DSNTEP2),
//           DISP=SHR
//SYSIN     DD DSN=&LIBPFX..&VERSION..CNTL(SHELIGVW),
//           DISP=SHR
///*
//*****SASCRE- SAS PROGRAM TO CREATE 7 EXTRACT FILES FROM THE
//* DB2 TABLES.
//* PROGRAM NAME      : SHXELIG
//* LANGUAGE          : SAS
//* INPUT FILES       : DBPARM, DB2 TABLES, HEDISPAR
//* OUTPUT FILES      : 7 FLAT FILES
//*****
//ASCRE      EXEC HWSAS609,
//           WORK='500000,100000',
//           REGION=0M
//SASCRE     EXEC DQVALID,
//           REGION=0M
//           DB2SYS=&DB2SYS,
//           COND=(0,LT)
//*****FROM SYS2 PROCLIB*****
//STEPLIB   DD DSN=HW.SAS609.LIBRARY,
//           DISP=SHR
//           DD DSN=&DB2REG..SDSNLOAD,
//           DISP=SHR
//           DD DSN=DB2.V410.&DB2REG..RUNLIB.LOAD,
//           DISP=SHR
//ASCRE      EXEC MED609,
//           WORK='5000,1500',
//           DB2SYS=&DB2SYS,
//           REGION=0M,
//           COND=(0,LT)
//SYSPRINT  DD SYSOUT=&SYSOUT
//SYSUDUMP  DD SYSOUT=&SYSOUT
//SYSABOUT  DD SYSOUT=&SYSOUT
//SYSDBOUT  DD SYSOUT=&SYSOUT
//SYSABEND  DD SYSOUT=&SYSOUT
//SYSOUT    DD SYSOUT=&SYSOUT
//SYSTSPRT  DD SYSOUT=&SYSOUT
//DBPARM    DD DSN=&LIBPFX..&VERSION..DBPARM,
//           DISP=SHR
//PARMFILE  DD DSN=&LIBPFX..&VERSION..CNTL(HEDISPAR),
//           DISP=SHR
//SYSIN     DD DSN=&LIBPFX..&VERSION..SASSRCE(SHXELIG),
//           DISP=SHR

```

```

JHELGEX.TXT
//PGMS      DD DSN=&LIBPFX..&VERSION..SASSRCE,
//              DISP=SHR
//OUTMEM     DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.PATIENT.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=VB,LRECL=112,BLKSIZE=23296),
//              &DVCENR,
//              UNIT=&DISK,
//              SPACE=(CYL,(1100,200),RLSE)
//OUTENR     DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.ENROLL.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(&MODEL.,RECFM=VB,LRECL=72,BLKSIZE=23400),
//              &DVCENR
//OUTPLN     DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.PLAN.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=FB,LRECL=80,BLKSIZE=27600),
//              UNIT=&DISK,
//              SPACE=(CYL,(5,2),RLSE)
//OUTC1      DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.CUSTOM1.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=FB,LRECL=80,BLKSIZE=27600),
//              UNIT=&DISK,
//              SPACE=(CYL,(5,2),RLSE)
//OUTC2      DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.CUSTOM2.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=FB,LRECL=80,BLKSIZE=27600),
//              UNIT=&DISK,
//              SPACE=(CYL,(5,2),RLSE)
//OUTC3      DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.EMPLOYER.DAT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=FB,LRECL=80,BLKSIZE=27600),
//              UNIT=&DISK,
//              SPACE=(CYL,(5,2),RLSE)
//OUTSTAT    DD DSN=&SYSTPFX..&VERSION..&RQ..SHXELIG.AUDIT,
//              DISP=(NEW,CATLG,DELETE),
//              DCB=(RECFM=VB,LRECL=73,BLKSIZE=23360),
//              UNIT=&DISK,
//              SPACE=(CYL,(1,1),RLSE)
///*
//***** PEND
//-----END_DEFINE_PROCS-----
///*
//***** CALL_PROCS *****
//*****
//SASTBDNL EXEC PROC=PELIGEX
///*
//***** THE JHELGEX JOB 00150099
//***** THE JHELGEX JOB 00160099
//***** MEDSTAT ORIGINAL NAME: NONE 00170099
//***** 00180099
//***** 00190099
//** THIS JOB CAN HAVE UP TO TWO PROCS TO BE EXECUTED. THE DVVALID JOB 00200099
//** VALIDATES INSTALLATION OF THE SAS ACCESS INTERFACE TO DB2 PRODUCT.
//** THE PELIGEX JOB CREATES A ELIGIBILITY VIEW FROM CONV_POP TABLE,
//** AND RUNS THE SAS PROGRAM TO CREATE 7 EXTRACT FILES FROM THE DB2
//** TABLES. 00210099
//**
//** REVISION LOG 00220099
//** DATE LOGON CHANGE DESCRIPTION 00230099
//**----- 00240099
//** MM-DD-YY 00250099
//**----- 00260099

```

JHELIGEX.TXT

```
/*=====
/*
/*  JOB DEPENDENCIES   : 00270099
/*  MANUAL PROCEDURES  : 00280099
/*  JOBSTEPS            : JS010      00290099
/*  REPORTS              :          00300099
/*  VERIFICATION         : CONDITION CODE = 0 00310099
/*  SPECIAL HANDLING    : NONE      00320099
/*  ERROR HANDLING       : SEE SYSOUT FOR ERROR MESSAGE 00330099
/*  RESTART/RECOVERY     : CORRECT PROBLEM & RE-START FAILING PROC STEP 00340099
/*                                00350099
/*                                00360099
/*                                00370099
□
```